

### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:February 14, 2019

To.

M/s. Maruti Dwellers Pvt Ltd & Space Realty

at Survey no./ H.No. (New) 63, 66, 69(pt) & (Old) 9, 12, 14 (pt)

Environment Clearance for Environmental Clearance for Proposed Residential cum Commercial project - Subject: SPACE RESIDENCE at At Mira Bhayander Road, Near Pleasant Park, Near Kashmira Jn by M/s. Maruti

Dwellers Pvt Ltd & Space Realty

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 79th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 154th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category Schedule 8a, Category B as per EIA Notification 2006.

### Brief Information of the project submitted by you is as below:-

1.Name of Project	Proposed Residential cum Commercial Project - SPACE RESIDENCE
2.Type of institution	Private
3.Name of Project Proponent	M/s. Maruti Dwellers Pvt Ltd & Space Realty
4.Name of Consultant	M/s. Enviro Analysts & Engineers Pvt. Ltd.
5.Type of project	Housing Project
6.New project/expansion in existing project/modernization/diversification in existing project	New Project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable
8.Location of the project	Survey no./ H.No. (New) 63, 66, 69(pt )& (Old) 9, 12, 14 (pt)
9.Taluka	Thane Thane
10.Village	Mira road
Correspondence Name:	M/s. Maruti Dwellers Pvt Ltd & Space Realty
Room Number:	1
Floor:	-
Building Name:	Dutt Digamber
Road/Street Name:	R.C. patel Road
Locality:	Borivali - West
City:	Mumbai
11.Area of the project	Mira Bhayander Municipal Corporation (M.B.M.C.)
42 YOU (10 A (0)	CC received
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: J.K.MBMC/MNP/NR/665/2018-19
KE .	Approved Built-up Area: 20619.49

SEIAA Meeting No: 154 Meeting Date: February 1, 2019 ( SEIAA-STATEMENT-0000001374 ) SEIAA-MINUTES-0000000986 SEIAA-EC-0000000689

Page 1 of 13 | S

13.Note on the initiated work (If applicable)	Bldg 1, 2, 3 & 6 are completed and occupied.					
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	-					
15.Total Plot Area (sq. m.)	20390.00					
16.Deductions	3345.25					
17.Net Plot area	17044.75					
	FSI area (sq. m.): 37905.47					
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 22585.24					
	Total BUA area (sq. m.): 60490.71					
	Approved FSI area (sq. m.): 20619.49					
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): -					
	Date of Approval: 04-05-2018					
19.Total ground coverage (m2) 3971.02 Sq. m						
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	27.73 % add 8					
21.Estimated cost of the project	95000000					



		22.P	roduct	tion Details				
Serial Number	Product	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	NA	N	A	NA	NA			
	2	3.Tota	l Wate	r Requiremen	t			
	Source of v	water	MBMC / ST	TP Treated water				
	Fresh water	er (CMD):	296					
	Recycled w Flushing (		143					
	Recycled w Gardening		21	HM L.				
	Swimming make up (		NA	Tefa Oza				
Dry season:		Total Water Requirement (CMD) :			Z			
	Undergrou	Fire fighting - Underground water tank(CMD):		200 & 100				
	Fire fighting Overhead tank(CMD)	water	75 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
	Excess trea	ated water 183						
	Source of	water	MCGM / RV	WH/ STP Treated water				
	Fresh water	er (CMD):	296					
	Recycled w Flushing (		143					
	Recycled v Gardening		0					
	Swimming make up (		NA					
Wet season:	Total Wate Requireme :	ent (CMD)	439 M M M M M M M M M M M M M M M M M M M					
	Fire fightin Undergrou tank(CMD	nd water	200 & 100					
	Fire fighting Overhead tank(CMD)	water	75 arashtra					
	Excess trea	ated water	204					
Details of Sw pool (If any)	imming NA							

		24	.Detail	s of Tota	l water co	nsume	d					
Particula rs Consumption (CMD)		I	Loss (CMD)		Ef	Effluent (CMD)						
Water Require ment	Existing	Proposed	Total	Existing	Proposed Total		Existing	Proposed	Total			
Domestic	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Level of the Ground water table:				3 - 4 m								
		Size and no o tank(s) and Quantity:	of RWH	3 nos. of 147	1 cum (2 days	holding ca	apacity)					
		Location of t tank(s):	he RWH	below groun	nd level	Jzn						
25.Rain V		Quantity of r pits:	echarge	22.03 cum/d	lay		5					
Harvestir (RWH)	ıy	Size of recha:	rge pits	3 m X 3m	20	30	7					
		Budgetary al (Capital cost		Rs. 16 lakhs								
		Budgetary al (O & M cost)		ation Rs. 1 lakh/yr								
	Details of UGT tanks if any:		Domestic tank: 269 cum Flushing tank: 164 cum Fire tank: 300 cum									
		B	700			O 2	ET.					
	Natural water drainage pattern:			West to Eas	मदा ग्र		7					
26.Storm drainage	water	Quantity of s water:	torm	0.4 cum/sec								
		Size of SWD:		0.45 m x 0.45 m								
	Sewage generation in KLD:		386 m o m t o f									
		STP technolo	gy:	MBBR								
27.Sewage and Waste water	Capacity of S (CMD):	TP	400									
	Location & a the STP:	rea of	Below ground									
		Budgetary al (Capital cost		Rs. 45 lakhs								
		Budgetary al (O & M cost)		Rs. 7 lakhs/y	yr							

Page 4 of 13

	28.Solid waste Management						
Waste generation in the Pre Construction	Waste generation:	Excavated waste material generated will be reused for back filling and rest shall be disposed by covered trucks to the authorized landfill sites with permission					
and Construction phase:	Disposal of the construction waste debris:	top soil to be been preserved for landscaping,- Scrap material and other recyclable material like empty cement bags and empty paint cans to be sold to recyclers.					
	Dry waste:	786 kg/day					
Waste generation in the operation Phase:	Wet waste:	997 kg/day					
	Hazardous waste:	NA					
	Biomedical waste (If applicable):	NA NA					
	STP Sludge (Dry sludge):	12 kg/day					
	Others if any:	NA					
	Dry waste:	Will be hand over to Local Recyclers for recycling					
	Wet waste:	Will be processed in the OWC, manure obtained shall be used for landscaping / Gardening					
Mode of Disposal	Hazardous waste:	NA					
of waste:	Biomedical waste (If applicable):	NA TO THE TOTAL					
	STP Sludge (Dry sludge):	To be used as manure.					
	Others if any:	NA 5					
	Location(s):	Ground level					
Area requirement:	Area for the storage of waste & other material:	65 sq.m					
	Area for machinery:	3 sq.m					
Budgetary allocation (Capital cost and	Capital cost:	Rs. 8 lakhs					
O&M cost):	O & M cost:	Rs. 2 lakhs/yr					

	29.Effluent Charecterestics							
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Effluent discharge standards (MPCB)				
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
Amount of effluent generation (CMD):		Not applicable						
Capacity of the ETP:		Not applicable						
Amount of treated effluent recycled:		Not applicable						
Amount of water send to the CETP:		Not applicable						
Membership of CETP (if require):		Not applicable						
Note on ETP technology to be used		Not applicable						
Disposal of	the ETP sludge	Not applicable						



	30.Hazardous Waste Details										
Serial Number	Descr	ription	Cat	UOM	Existing	Proposed	Total	Method of Disposal			
1	Not ap	plicable	Not Not applicable applica		Not applicable	Not applicable	Not applicable	Not applicable			
			31.St	acks em	ission D	etails					
Serial Number	Section	& units	Fuel Us Quar	I STACK NO I		Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases			
1	Not ap	plicable	Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable			
			32.De	tails of I	uel to b	used					
Serial Number	Туг	e of Fuel	43	Existing	Teron	Proposed	7	Total			
1	Not	applicable	N-N	lot applicabl	e N	lot applicabl	e	Not applicable			
33.Source o		45	70	pplicable	2	10/0	The second				
34.Mode of	Transportat	ion of fuel to	site Not a	pplicable		12					
		B	A A	108	20	1 3	E				
			×	35.Eı	nergy	4	63				
		Source of supply:	power	Tata Power		た	M				
	During Construction Phase: (Demand Load)			100 kW							
		DG set as Power back-up during construction phase			65 KVA						
Pov	vor	During Opphase (Colload):	nnected	7824.88 kW	EDAN.	W,					
	Power Puring Operation phase (Demand load):		mand	3505.34 kW							
		Transform		HIIIIGIIL UI							
	DG set as Power back-up during operation phase:		uring 🔲	2 DG sets of 125 KVA & 250 KVA							
		Fuel used:		HSD	49						
	Details of high tension line passing through the plot if any:			NA							
		Ener	gy saving	by non-	convent	ional me	thod:				
Use of solar Use of Solar			on lighting lo	ad and Park	ing Area	_					
		3	6.Detail	calculati	ons & %	of saving	g:				
Serial Number	Е	nergy Cons	ervation Me	easures			Saving	%			

**Page** 7 of 13

1	Γ	m . 1							1.0	. 0/	
1	Total Energy savings 12 %  37.Details of pollution control Systems										
	_					CC	ontrol S				
Source Not.	Ex	xisting pol	lution contro	ol syster	n	+		Pro	posed to	be installe	ed
applicable		Not applicable							Not ap	plicable	
	allocation cost and				Lakhs						
	cost):	O & M co	st:	Rs. 2 L	akhs/yr						
38	.Envir	onmer	ntal Mar	age	ment	<b>p</b>	lan Bı	ıdg	etary	Alloca	ation
		<b>a</b> )	Construc	ction	phase	(w	ith Bre	ak-u	p):		
Serial Number	Attri	butes		meter	))H		7			m (Rs. In I	acs)
1	Air Env	ironment	Water Sp Gree Developme storag	n Belt nt, Cove	1 4110	fo	2773		<b>7</b> 4		
2	Noise En	vironment	Develo	n Belt pments	(0)	<u>A</u>		CCA	3		
3	Water Er	vironment	Draina	Modular STP , Drainage with sedimentation tanks							
4	Good Heal	th Practice		Site Sanitation & 3 Health Care							
5		onment itoring	Air,water monitorii construct	ng durin	g		3		3		
			b) Operat	ion P	hase (v	wit	t <b>h Brea</b> l	k-up	);		
Serial Number	Comp	onent	Descr	Description			opital cost Rs. In Lacs Operational and Maint cost (Rs. in Lacs/				
1	Water en	vironment	S	STP		\f-	45		7		
2		vironment	RV	RWH		16		1			
3		waste gement	700	WC	n		8	11		2	
4	Energy co	nservations	Solar	energy			40			2	
5		vironment		caping			18.56			3.7	
39.S	torage	of ch	emicals		lamal stanc			osiv	e/haz	zardou	s/toxic
				Jun	Juli		Maximum Quantity				
Descri	ption	Status	Locatio	n	Storage Capacity in MT		of Storage at any point of time in MT	Consumption / Month in MT		Source of Supply	Means of transportation
Not app	licable	Not applicable	Not applica		Not applicab		Not applicable		pplicable	Not applicable	Not applicable
			40.A	ny Ot	her In	fo	rmation	1			
No Informa	tion Availab	le									

SEIAA Meeting No: 154 Meeting Date: February 1, 2019 ( SEIAA-STATEMENT-0000001374 )

SEIAA-MINUTES-0000000986 SEIAA-EC-0000000689

**Page 8 of 13** 

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Sanjay Gandhi National Park (1.88 km aerial distance from ESZ boundary)
Category as per schedule of EIA Notification sheet	Schedule 8a, Category B
Court cases pending if any	NA
Other Relevant Informations	HTO SHOTAN
Have you previously submitted Application online on MOEF Website.	Yes
Date of online submission	01-08-2018

3. The proposal has been considered by SEIAA in its 154th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

### **Specific Conditions:**

I	Committee noted that, there is change in CS especially related to quantities mentioned for treated water, flushing etc. PP to revise the CS.
II	PP to close the existing bore wells and divert rain water to rain water storage tank.
III	PP to explore reuse of recycled water for maiden plantation.
IV	PP to submit & upload CER as per MoEF&CC circular dated 1.5.2018 relevant to the area and people around the project or Environment Department may direct PP to undertake CER work in identified area.
V	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
VI	SEIAA decided to grant EC for: FSI: 20619.49 m2, Non FSI: 12615.55 m2 & Total BUA: 33235.04 m2. (IOD-MB/MC/665/2018-19, Approval Date-4.5.2018)

### **General Conditions:**

General Conditions:	
I	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
п	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
Ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

SEIAA Meeting No: 154 Meeting Date: February 1, 2019 ( SEIAA-STATEMENT-0000001374 ) SEIAA-MINUTES-0000000986 SEIAA-EC-0000000689 Con.

VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.

Page 10 of Shri. Anil Diggikar (Member Secretary SEIAA)

XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

### Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- 5. SECRETARY MOEF & CC
- 6. IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER THANE
- 10. REGIONAL OFFICE MPCB THANE
- 11. REGIONAL OFFICE MIDC AMBERNATH
- 12. REGIONAL OFFICE MIDC THANE
- 13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 14. COLLECTOR OFFICE THANE